

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S85	30	UDP near10 (Fragment\$4) near10 reassemb\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 17:52
S86	6	UDP near10 (Fragment\$4) near10 reassemb\$6 and @ad<"20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 17:53
S87	153	UDP near10 (Fragment\$4 segment\$7) and @ad<"20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 17:54
S88	170	UDP near10 (Fragment\$6 segment\$7) and @ad<"20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 17:54
S89	27	UDP near10 (Fragment\$6 segment\$7) same reassembl\$4 and @ad<"20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 18:00
S90	138	(datagram\$4 UDP) near10 (Fragment\$6 segment\$7) same reassembl\$4 and @ad<"20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 18:01
S91	29	(user adj datagram\$4 UDP) near10 (Fragment\$6 segment\$7) same reassembl\$4 and @ad<"20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 18:01
S92	2	(user adj datagram\$4 UDP) near10 (Fragment\$6 segment\$7) same reassembl\$4 and @ad<"20001103" not S89	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 18:02
S93	171	(user adj datagram\$4 adj protocol\$1 UDP) near10 (Fragment\$6 segment\$7) and @ad<"20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 19:18

## EAST Search History

S94	79	connectionless near10 (Fragment\$6 segment\$7) and @ad<"20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 19:22
S95	240	connectionless near10 tcp and @ad<"20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 19:22
S96	95	connectionless near10 tcp and @ad<"20001103" and "709".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 19:28
S97	2	connectionless same (retry retries) near10 (packet\$4 message\$4) and @ad<"20001103" and "709".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 19:34
S98	0	connectionless same implement\$4 near10 function\$4 near10 tcp and @ad<"20001103" and "709".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 19:34
S99	0	connectionless same implement\$4 near10 function\$4 near10 tcp and @ad<"20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 19:34
S10 0	4	wireless\$4 same implement\$4 near10 function\$4 near10 tcp and @ad<"20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 19:35
S10 1	21	udp same implement\$4 near10 function\$4 near10 tcp and @ad<"20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 20:03
S10 2	70	udp near10 fragment\$4 and @ad<"20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 20:03
S10 3	24	udp near10 fragment\$4 and @ad<"20001103" and "709".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 20:07

## EAST Search History

S10 4	70	udp near10 fragment\$4 and @ad<"20001103"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 20:08
S10 5	46	udp near10 fragment\$4 and @ad<"20001103" not S103	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 20:09